




Flannery, Inc. Contact: www.flannerytrim.com Ph. 682-207-2650 Product Notes and Specification: .050 Typical Wall Thickness Except as Noted	Date: 08.18.23
Web Link: Alloy:6063-T5 Break Sharp Corners at .010 R flannerytrim.com/product/plaster-channel-screed/ Venting Available	Page No.: 01 ^{OF} 35




	Product Name: Plaster Channel Screed	Product Number: PCS 375-75	Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
Flannery, Inc.	Contact: www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link: flannerytrim.com/product/pla	ster-channel-screed/	Alloy:6063-T5 Break Sharp Corners at .010 R Venting Available	Page No.: 02 °F35




	Product Name: Plaster Channel Screed	Product Number: PCS 375-100	Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
条 Flannery, Inc.	Contact: www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link:		Alloy:6063-T5 Break Sharp Corners at .010 R	Page No.:
	flannerytrim.com/product/pla	ster-channel-screed/	Venting Available	03 ° 35




	Product Name: Plaster Channel Screed	Product Number: PCS 375-150	Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
Flannery, Inc.	Contact: www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .055 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link: flannerytrim.com/product/plas	ster-channel-screed/	Alloy:6063-T5 Break Sharp Corners at .010 R Venting Available	Page No.: 04 ^{OF} 35




	Product Name: Plaster Channel Screed	Product Number: PCS 50-25	Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
条 Flannery, Inc.	^{Contact:} www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link: flannerytrim.com/product/plas	ster-channel-screed/	Alloy :6063-T5 Break Sharp Corners at .010 R Venting Available	Page No.: 05 OF35




	Product Name: Plaster Channel Screed	Product Number: PCS 50-50	Product Section: Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
Flannery, Inc.	^{Contact:} www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link: flannerytrim.com/product/pla:	ster-channel-screed/	Alloy :6063-T5 Break Sharp Corners at .010 R Venting Available	Page No.: 06 or35




	Product Name: Plaster Channel Screed	Product Number: PCS 50-50	Product Section: Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
Flannery, Inc.	^{Contact:} www.flannerytrim.com	Ph. 268-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link: flannerytrim.com/product/pla:	ster-channel-screed/	Alloy :6063-T5 Break Sharp Corners at .010 R Venting Available	Page No.: 06 0F35




Flannery, Inc.	Product Name: Plaster Channel Screed	Product Number: PCS 50-100	Product Section: Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
	^{Contact:} www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link: flannerytrim.com/product/plas	ster-channel-screed/	Alloy :6063-T5 Break Sharp Corners at .010 R Venting Available	Page No.: 08 ^{OF} 35




	Product Name: Plaster Channel Screed	Product Number: PCS 50-150	Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
Flannery, Inc.	^{Contact:} www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link: flannerytrim.com/product/pla	ster-channel-screed/	Alloy:6063-T5 Break Sharp Corners at .010 R Venting Available	Page No.: 09 ^{OF} 35




	Product Name: Plaster Channel Screed	Product Number: PCS 50-200	Product Section: Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
条 Flannery, Inc.	^{Contact:} www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link: flannerytrim.com/product/plas	ster-channel-screed/	Alloy:6063-T5 Break Sharp Corners at .010 R Venting Available	Page No.: 10 ^{OF} 35




	Product Name: Plaster Channel Screed	Product Number: PCS 50-250	Product Section: Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
条 Flannery, Inc.	^{Contact:} www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .062 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link: flannerytrim.com/product/plas	ster-channel-screed/	Alloy : 6063-T5 Break Sharp Corners at .010 R Venting Available	Page No.: 11 OF 35




	Product Name: Plaster Channel Screed	Product Number: PCS 50-250	Product Section: Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
条 Flannery, Inc.	^{Contact:} www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .062 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link: flannerytrim.com/product/plas	ster-channel-screed/	Alloy : 6063-T5 Break Sharp Corners at .010 R Venting Available	Page No.: 11 OF 35




	Product Name: Plaster Channel Screed	Product Number: PCS 50-300	Product Section: Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
Flannery, Inc.	^{Contact:} www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .062 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link: flannerytrim.com/product/pla:	ster-channel-screed/	Alloy : 6063-T5 Break Sharp Corners at .010 R Venting Available	Page No.: 12 OF 35




	Product Name: Plaster Channel Screed	Product Number: PCS 50-400	Product Section: Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
条 Flannery, Inc.	^{Contact:} www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link:		Alloy:6063-T5 Break Sharp Corners at .010 R	Page No.:
	flannerytrim.com/product/plas	ster-channel-screed/	Venting Available	13 ⁰⁼35




(Product Name: Plaster Channel Screed	Product Number: PCS 50-600	Product Section: Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
条 Flannery, Inc.	Contact: www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .062 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link: flannerytrim.com/product/plas	ster-channel-screed/	Alloy :6063-T5 Break Sharp Corners at .010 R Venting Available	Page No.: 14 ^{OF} 35




	Product Name: Plaster Channel Screed	Product Number: PCS 625-50	Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
Flannery, Inc.	^{Contact:} www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link: flannerytrim.com/product/plas	ster-channel-screed/	Alloy : 6063-T5 Break Sharp Corners at .010 R Venting Available	Page No.: 15 ^{OF} 35




	Product Name: Plaster Channel Screed	Product Number: PCS 625-75	Product Section: Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
条 Flannery, Inc.	^{Contact:} www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .062 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link: flannerytrim.com/product/pla:	ster-channel-screed/	Alloy:6063-T5 Break Sharp Corners at .010 R Venting Available	Page No.: 16 ^{OF} 35




	Product Name: Plaster Channel Screed	Product Number: PCS 625-100	Product Section: Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
Flannery, Inc.	^{Contact:} www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .055 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link: flannerytrim.com/product/plas	ster-channel-screed/	Alloy :6063-T5 Break Sharp Corners at .010 R Venting Available	Page No.: 17 ^{OF} 35




	Product Name: Plaster Channel Screed	Product Number: PCS 625-150	Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
条 Flannery, Inc.	^{Contact:} www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link: flannerytrim.com/product/plas	ster-channel-screed/	Alloy : 6063-T5 Break Sharp Corners at .010 R Venting Available	Page No.: 18 ^{OF} 35




	Product Name: Plaster Channel Screed	Product Number: PCS 625-200	Product Section: Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
条 Flannery, Inc.	^{Contact:} www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .061 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link: flannerytrim.com/product/plas	ster-channel-screed/	Alloy : 6063-T5 Break Sharp Corners at .010 R Venting Available	Page No.: 19 ^{OF} 35




	Product Name: Plaster Channel Screed	Product Number: PCS 625-300	Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
条 Flannery, Inc.	^{Contact:} www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .062 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link: flannerytrim.com/product/plas	ster-channel-screed/	Alloy : 6063-T5 Break Sharp Corners at .010 R Venting Available	Page No.: 20 °F35




	Product Name: Plaster Channel Screed	Product Number: PCS 625-400	Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
条 Flannery, Inc.	^{Contact:} www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link:		Alloy:6063-T5 Break Sharp Corners at .010 R	Page No.:
	flannerytrim.com/product/plas	ster-channel-screed/	Venting Available	21 ⁰⁼35




	Product Name: Plaster Channel Screed	Product Number: PCS 75-25	Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
条 Flannery, Inc.	^{Contact:} www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link: flannerytrim.com/product/plas	ster-channel-screed/	Alloy : 6063-T5 Break Sharp Corners at .010 R	Page No.: 22 ^{OF} 35




	Product Name: Plaster Channel Screed	Product Number: PCS 75-50	Product Section: Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
Flannery, Inc.	^{Contact:} www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link: flannerytrim.com/product/plas	ster-channel-screed/	Alloy :6063-T5 Break Sharp Corners at .010 R Venting Available	Page No.: 23 ^{OF} 35




	Product Name:	Product Number:	Product Section:	Scale:
	Plaster Channel Screed	PCS 75-75	Exterior / Aluminum Plaster Trims	1" = 1"
条 Flannery, Inc.	^{Contact:} www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link:		Alloy:6063-T5 Break Sharp Corners at .010 R	Page No.:
	flannerytrim.com/product/plaster-channel-screed/		Venting Available	24 ^{OF} 35




	Product Name: Plaster Channel Screed	Product Number: PCS 75-100	Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
条 Flannery, Inc.	^{Contact:} www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link: flannerytrim.com/product/pla	ator obannol aerood/	Alloy : 6063-T5 Break Sharp Corners at .010 R Venting Available	Page No.: 25 ^{OF} 35
	iannerytrim.com/product/pia	ister-channel-screed/	venung Avallable	120 00




Product Name: Plaster Channel Screed	Product Number: PCS 75-150	Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
^{Contact:} www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted	Date: 08.18.23
Web Link:	ter_channel_screed/	,	Page No.: 26 ^{OF} 35
(Plaster Channel Screed	Plaster Channel ScreedPCS 75-150Contact: www.flannerytrim.comPh. 682-207-2650	Plaster Channel Screed PCS 75-150 Exterior / Aluminum Plaster Trims Contact: www.flannerytrim.com Ph. 682-207-2650 Product Notes and Specification: .050 Typical Wall Thickness Except as Noted Alloy:6063-T5 Break Sharp Corners at .010 R




	Product Name: Plaster Channel Screed	Product Number: PCS 75-200	Product Section: Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
条 Flannery, Inc.	^{Contact:} www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link: flannerytrim.com/product/plas	ster-channel-screed/	Alloy :6063-T5 Break Sharp Corners at .010 R Venting Available	Page No.: 27 ^{OF} 35




	Product Name: Plaster Channel Screed	Product Number: PCS 75-250	Product Section: Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
条 Flannery, Inc.	^{Contact:} www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted	Date: 08.18.23
-	Web Link:		Alloy:6063-T5 Break Sharp Corners at .010 R	Page No.:
	flannerytrim.com/product/plas	ster-channel-screed/	Venting Available	28 ° 35




	Product Name: Plaster Channel Screed	Product Number: PCS 75-300	Product Section: Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
条 Flannery, Inc.	^{Contact:} www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link: flannerytrim.com/product/plas	ster-channel-screed/	Alloy : 6063-T5 Break Sharp Corners at .010 R Venting Available	Page No.: 29 °F35




	Product Name: Plaster Channel Screed	Product Number: PCS 75-400	Product Section: Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
条 Flannery, Inc.	^{Contact:} www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .062 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link:		Alloy:6063-T5 Break Sharp Corners at .010 R	Page No.:
	flannerytrim.com/product/plas	ster-channel-screed/	Venting Available	30 ⁰⊧35




	Product Name: Plaster Channel Screed	Product Number: PCS 75-600	Product Section: Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
条 Flannery, Inc.	Contact: www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .075 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link: flannerytrim.com/product/plas	ster-channel-screed/	Alloy:6063-T5 Break Sharp Corners at .010 R Venting Available	Page No.: 31 ^{OF} 35




	Product Name: Plaster Channel Screed	Product Number: PCS 100-75	Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
条 Flannery, Inc.	^{Contact:} www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link: flannerytrim.com/product/plas	ster-channel-screed/	Alloy:6063-T5 Break Sharp Corners at .010 R	Page No.: 32 ^{OF} 35



(Product Name: Plaster Channel Screed	Product Number: PCS 100-100	Product Section: Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
条 Flannery, Inc.	^{Contact:} www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .062 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link: flannerytrim.com/product/pla	ster-channel-screed/	Alloy:6063-T5 Break Sharp Corners at .010 R	Page No.: 33 ^{OF} 35



	Product Name: Plaster Channel Screed	Product Number: PCS 1375-75	Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
条 Flannery, Inc.	^{Contact:} www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link: flannerytrim.com/product/pla	aster-channel-screed/	Alloy:6063-T5 Break Sharp Corners at .010 R	Page No.: 34 ^{OF} 35



	Product Name: Plaster Channel Screed	Product Number: PCS 1375-200	Product Section: Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
条 Flannery, Inc.	^{Contact:} www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .062 Typical Wall Thickness Except as Noted	Date: 08.18.23
	Web Link: flannerytrim.com/product/pla	ster-channel-screed/	Alloy:6063-T5 Break Sharp Corners at .010 R	Page No.: 35 ^{OF} 35