



Product Name: Plaster F-Mold		Product Number: FPM 50-50		Product Section: Exterior / Aluminum Plaster Trims		Scale: 1" = 1"	
Contact: www.flannerytrim.com		Ph. 682-207-2650		Product Notes and Specification: .050 Typical Wall Thickness Except as Noted Alloy :6063-T5 Break Sharp Corners at .010 R Venting Available			Date: 09.14.23
Web Link: flannerytrim.com/product/plaster-f-mold/							Page No.: 01 OF 20



**Flannery, Inc.**

Product Name: <b>Plaster F-Mold</b>	Product Number: <b>FPM 50-75</b>	Product Section: <b>Exterior / Aluminum Plaster Trims</b>	Scale: <b>1" = 1"</b>
Contact: <a href="http://www.flannerytrim.com">www.flannerytrim.com</a>	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted Alloy :6063-T5 Break Sharp Corners at .010 R Venting Available	Date: <b>09.14.23</b>
Web Link: <a href="http://flannerytrim.com/product/plaster-f-mold/">flannerytrim.com/product/plaster-f-mold/</a>			Page No.: <b>02 OF 20</b>



**Flannery, Inc.**

Product Name:

Plaster F-Mold

Product Number:

FPM 50-100

Product Section:

Exterior / Aluminum Plaster Trims

Scale:

1" = 1"

Contact:

[www.flannerytrim.com](http://www.flannerytrim.com)

Ph. 682-207-2650

Product Notes and Specification:

.050 Typical Wall Thickness Except as Noted

Alloy : 6063-T5 Break Sharp Corners at .010 R

Venting Available

Date:


09.14.23

Web Link:

[flannerytrim.com/product/plaster-f-mold/](http://flannerytrim.com/product/plaster-f-mold/)


Page No.:

03 OF 20




**Flannery, Inc.**


Product Name: <b>Plaster F-Mold</b>	Product Number: <b>FPM 50-150</b>	Product Section: <b>Exterior / Aluminum Plaster Trims</b>	Scale: <b>1" = 1"</b>
Contact: <a href="http://www.flannerytrim.com">www.flannerytrim.com</a>	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted Alloy : 6063-T5 Break Sharp Corners at .010 R Venting Available	Date: <b>09.14.23</b>
Web Link: <a href="http://flannerytrim.com/product/plaster-f-mold/">flannerytrim.com/product/plaster-f-mold/</a>			Page No.: <b>04 OF 20</b>




Product Name: Plaster F-Mold	Product Number: FPM 50-200	Product Section: Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
Contact: www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted Alloy :6063-T5 Break Sharp Corners at .010 R Venting Available	Date: 09.14.23
Web Link: flannerytrim.com/product/plaster-f-mold/			Page No.: 05 OF 20



Product Name: <b>Plaster F-Mold</b>	Product Number: <b>FPM 50-250</b>	Product Section: <b>Exterior / Aluminum Plaster Trims</b>	Scale: <b>1" = 1"</b>
Contact: <a href="http://www.flannerytrim.com">www.flannerytrim.com</a>	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted Alloy : 6063-T5 Break Sharp Corners at .010 R Venting Available	Date: <b>09.14.23</b>
Web Link: <a href="http://flannerytrim.com/product/plaster-f-mold/">flannerytrim.com/product/plaster-f-mold/</a>			Page No.: <b>06 OF 20</b>




Product Name: <b>Plaster F-Mold</b>	Product Number: <b>FPM 50-300</b>	Product Section: <b>Exterior / Aluminum Plaster Trims</b>	Scale: <b>1" = 1"</b>
Contact: <a href="http://www.flannerytrim.com">www.flannerytrim.com</a>	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted Alloy :6063-T5 Break Sharp Corners at .010 R Venting Available	Date: <b>09.14.23</b>
Web Link: <a href="http://flannerytrim.com/product/plaster-f-mold/">flannerytrim.com/product/plaster-f-mold/</a>			Page No.: <b>07 OF 20</b>




**Flannery, Inc.**

Product Name: <b>Plaster F-Mold</b>	Product Number: <b>FPM 50-400</b>	Product Section: <b>Exterior / Aluminum Plaster Trims</b>	Scale: <b>1" = 1"</b>
Contact: <a href="http://www.flannerytrim.com">www.flannerytrim.com</a>	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted Alloy : 6063-T5 Break Sharp Corners at .010 R Venting Available	Date: <b>09.14.23</b>
Web Link: <a href="http://flannerytrim.com/product/plaster-f-mold/">flannerytrim.com/product/plaster-f-mold/</a>			Page No.: <b>08 OF 20</b>





Product Name: <b>Plaster F-Mold</b>	Product Number: <b>FPM 50-600</b>	Product Section: <b>Exterior / Aluminum Plaster Trims</b>	Scale: <b>1" = 1"</b>
Contact: <a href="http://www.flannerytrim.com">www.flannerytrim.com</a>	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted Alloy : 6063-T5 Break Sharp Corners at .010 R Venting Available	Date: <b>09.14.23</b>
Web Link: <a href="http://flannerytrim.com/product/plaster-f-mold/">flannerytrim.com/product/plaster-f-mold/</a>			Page No.: <b>09 OF 20</b>



**Flannery, Inc.**

Product Name:

Plaster F-Mold

Product Number:

FPM 75-25

Product Section:

Exterior / Aluminum Plaster Trims

Scale:

1" = 1"

Contact:

[www.flannerytrim.com](http://www.flannerytrim.com)

Ph. 682-207-2650

Product Notes and Specification:

.050 Typical Wall Thickness Except as Noted

Alloy : 6063-T5 Break Sharp Corners at .010 R

Venting Available

Date:


09.14.23

Web Link:


[flannerytrim.com/product/plaster-f-mold/](http://flannerytrim.com/product/plaster-f-mold/)

Page No.:


10 OF 20




Product Name: <b>Plaster F-Mold</b>	Product Number: <b>FPM 75-50</b>	Product Section: <b>Exterior / Aluminum Plaster Trims</b>	Scale: <b>1" = 1"</b>
Contact: <a href="http://www.flannerytrim.com">www.flannerytrim.com</a>	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted Alloy :6063-T5 Break Sharp Corners at .010 R Venting Available	Date: <b>09.14.23</b>
Web Link: <a href="http://flannerytrim.com/product/plaster-f-mold/">flannerytrim.com/product/plaster-f-mold/</a>			Page No.: <b>11 OF 20</b>



Product Name: <b>Plaster F-Mold</b>	Product Number: <b>FPM 75-75</b>	Product Section: <b>Exterior / Aluminum Plaster Trims</b>	Scale: <b>1" = 1"</b>
Contact: <b>www.flannerytrim.com</b>	Ph. <b>682-207-2650</b>	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted Alloy :6063-T5 Break Sharp Corners at .010 R Venting Available	Date: <b>09.14.23</b>
Web Link: <b>flannerytrim.com/product/plaster-f-mold/</b>			Page No.: <b>12 OF 20</b>



Product Name: Plaster F-Mold		Product Number: FPM 75-100		Product Section: Exterior / Aluminum Plaster Trims		Scale: 1" = 1"	
Contact: www.flannerytrim.com		Ph. 682-207-2650		Product Notes and Specification: .050 Typical Wall Thickness Except as Noted Alloy :6063-T5 Break Sharp Corners at .010 R Venting Available		Date: 09.14.23	
Web Link: flannerytrim.com/product/plaster-f-mold/						Page No.: 13 OF 20	



**Flannery, Inc.**

Product Name:

Plaster F-Mold

Product Number:

FPM 625-50

Product Section:

Exterior / Aluminum Plaster Trims

Scale:

1" = 1"

Contact:

[www.flannerytrim.com](http://www.flannerytrim.com)

Ph. 682-207-2650

Product Notes and Specification:

.050 Typical Wall Thickness Except as Noted

Alloy : 6063-T5 Break Sharp Corners at .010 R

Venting Available

Date:


09.14.23

Web Link:

[flannerytrim.com/product/plaster-f-mold/](http://flannerytrim.com/product/plaster-f-mold/)


Page No.:

14 OF 20



**Flannery, Inc.**

Product Name: <b>Plaster F-Mold</b>	Product Number: <b>FPM 625-75</b>	Product Section: <b>Exterior / Aluminum Plaster Trims</b>	Scale: <b>1" = 1"</b>
Contact: <a href="http://www.flannerytrim.com">www.flannerytrim.com</a>	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted Alloy :6063-T5 Break Sharp Corners at .010 R Venting Available	Date: <b>09.14.23</b>
Web Link: <a href="http://flannerytrim.com/product/plaster-f-mold/">flannerytrim.com/product/plaster-f-mold/</a>			Page No.: <b>15 OF 20</b>



**Flannery, Inc.**

Product Name:

Plaster F-Mold

Product Number:

FPM 625-100

Product Section:

Exterior / Aluminum Plaster Trims

Scale:

1" = 1"

Contact:

[www.flannerytrim.com](http://www.flannerytrim.com)

Ph. 682-207-2650

Product Notes and Specification:

.050 Typical Wall Thickness Except as Noted

Alloy : 6063-T5 Break Sharp Corners at .010 R

Venting Available

Date:

09.14.23


Web Link:

[flannerytrim.com/product/plaster-f-mold/](http://flannerytrim.com/product/plaster-f-mold/)


Page No.:

16 OF 20






Product Name: <b>Plaster F-Mold</b>	Product Number: <b>FPM 625-150</b>	Product Section: <b>Exterior / Aluminum Plaster Trims</b>	Scale: <b>1" = 1"</b>
Contact: <a href="http://www.flannerytrim.com">www.flannerytrim.com</a>	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted Alloy :6063-T5 Break Sharp Corners at .010 R Venting Available	Date: <b>09.14.23</b>
Web Link: <a href="http://flannerytrim.com/product/plaster-f-mold/">flannerytrim.com/product/plaster-f-mold/</a>			Page No.: <b>17 OF 20</b>



Product Name: Plaster F-Mold	Product Number: FPM 625-200	Product Section: Exterior / Aluminum Plaster Trims	Scale: 1" = 1"
Contact: www.flannerytrim.com	Ph. 682-207-2650	Product Notes and Specification: .050 Typical Wall Thickness Except as Noted Alloy :6063-T5 Break Sharp Corners at .010 R Venting Available	Date: 09.14.23
Web Link: flannerytrim.com/product/plaster-f-mold/			Page No.: 18 OF 20



**Flannery, Inc.**

Product Name:

Plaster F-Mold

Product Number:

FPM 625-300

Product Section:

Exterior / Aluminum Plaster Trims

Scale:

1" = 1"

Contact:

[www.flannerytrim.com](http://www.flannerytrim.com)

Ph. 682-207-2650

Product Notes and Specification:

.050 Typical Wall Thickness Except as Noted

Alloy : 6063-T5 Break Sharp Corners at .010 R

Venting Available

Date:


09.14.23

Web Link:

[flannerytrim.com/product/plaster-f-mold/](http://flannerytrim.com/product/plaster-f-mold/)

Page No.:

19 OF 20



**Flannery, Inc.**

Product Name:

Plaster F-Mold

Product Number:

FPM 625-400

Product Section:

Exterior / Aluminum Plaster Trims

Scale:

1" = 1"

Contact:

[www.flannerytrim.com](http://www.flannerytrim.com)

Ph. 682-207-2650

Product Notes and Specification:

.050 Typical Wall Thickness Except as Noted

Alloy : 6063-T5 Break Sharp Corners at .010 R

Venting Available

Date:

09.14.23

Web Link:

[flannerytrim.com/product/plaster-f-mold/](http://flannerytrim.com/product/plaster-f-mold/)

Page No.:

20 OF 20